

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY.

NAME OF SUPPLIER: Oak Industrial Supplies

ADDRESS: Hamilton Road
Sutton-in-Ashfield
Nottinghamshire
NG17 5LN

BUSINESS TELEPHONE NO: 01623 442222

FAX: 01623 441234

**HEALTH AND SAFETY EMERGENCY
TELEPHONE NO. (OUT OF HOURS):**

PRODUCT NAME: Coolube 5.

PRODUCT DESCRIPTION: Manufactured from selected solvent refined base stocks with fourfold additive treatment.

2. COMPOSITION/INFORMATION ON INGREDIENTS.

Hazardous Ingredients:	CAS No:	EINECS:	Classification:	% wt:
White Mineral Oil (petroleum)	92062-35-6	295-550-3	Xn; R65	80-100

3. HAZARDS IDENTIFICATION.

Human Hazard: Harmful: May cause lung damage if swallowed.

Environmental Hazard: This product presents no major hazard to the environment.

4. FIRST AID MEASURES.

Eyes: Wash eyes thoroughly with copious quantities of water, ensuring eyelids are held open. Obtain medical advice if any pain or redness develops or persists.

Skin: Wash skin thoroughly with soap and water after contact. Remove heavily contaminated clothing and wash underlying skin.

Ingestion: If contamination of the mouth occurs, wash out thoroughly with water. Obtain medical advice if large amounts are swallowed. - **do not induce vomiting.**

Inhalation: If inhalation of mists, fumes or vapour causes irritation to the nose or throat, or coughing, remove to fresh air. If symptoms persist obtain medical advice.

PRODUCT NAME: Coolube 5.

5. FIRE FIGHTING MEASURES.

Contain the spill and blanket with extinguishing agent. Use water spray to cool fire-exposed containers and as a protective screen.

Extinguish using dry powder, foam, water fog or (for small fires) carbon dioxide.

Fires in confined spaces should be dealt with by trained personnel wearing breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES.

Large spillages must be notified to the appropriate Authorities.

Contain and recover spillages by pumping or by using sand, sawdust or other suitable absorbents.

Dispose of recovered material and contaminated absorbents in an approved manner.

Do **not** wash spilled material into drainage systems.

7. HANDLING AND STORAGE.

Handling:

Protective clothing, including impervious gloves, should be worn if skin contact is anticipated. Wear a face visor or goggles if eye contact can accidentally occur. Protective clothing should be regularly inspected and maintained; overalls should be dry-cleaned and laundered. Discard oil-saturated leather articles.

Storage:

Store at ambient temperatures in a well-ventilated area, away from sources of ignition. Clean up any spilled material immediately. Take all necessary precautions against accidental spillage into soil or water.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION.

Exposure Limits:

Oil mists must be kept below 5 mg/m³.

Personal Protection:

Avoid inhalation of mists, fumes or vapour generated during use.

Avoid contact with eyes.

Avoid contact with skin and observe good personal hygiene.

Change heavily contaminated clothing.

Use single-use disposable cloths and discard when soiled.

Wash hands thoroughly after use, and always wash hands before eating, drinking or using the toilet.

PRODUCT NAME: Coolube 5.

9. PHYSICAL AND CHEMICAL PROPERTIES.

Physical State:	Liquid
Viscosity @ 40°C cSt:	5.1
Density @ 15°C:	0.840
Flash Point (COC):	> 100°C

10. STABILITY AND REACTIVITY.

Thermal Stability: Stable at ambient temperatures.

Reactivity: Avoid contact with strong oxidising agents.

Hazardous Decomposition Products: Thermal decomposition can produce a variety of compounds, the precise nature of which will depend on the decomposition conditions. Such decomposition products must be treated as potentially hazardous. Incomplete combustion will generate smoke and hazardous gases, including carbon monoxide.

11. TOXICOLOGICAL INFORMATION.

Oral LD50: > 5000 mg/kg (rat)

Assessment of available data indicates that these material:

Are unlikely to cause harm to the skin on brief or occasional contact but, as with all mineral oil based products, prolonged or repeated exposures may lead to dermatitis.

Are unlikely to cause sensitisation by skin contact.

Are unlikely to cause more than transient stinging and redness if accidental eye contact occurs.

Are unlikely to cause harm if accidentally swallowed, although ingestion of large amounts may cause gastro intestinal effects such as discomfort, vomiting and diarrhoea.

Low viscosity grades may injure the lungs if aspiration occurs eg during vomiting.

Are unlikely to present an inhalation hazard at ambient temperatures when in the form of bulk liquids, but may cause chemical pneumonitis if inhaled in large quantities in the form of fine droplet sprays, mists or aerosols.

As with all mineral oil based products, these materials are combustible. Spilled material may make surfaces slippery and thus hazardous.

12. ECOLOGICAL INFORMATION.

Environment:

This product will float on water. It consists of relatively low molecular weight paraffinic substances, small spillages into soil or water will be dispersed by evaporation and biodegradation. Although toxic to vertebrates, spilled material may affect organisms (especially small invertebrates) by physical smothering or by leading to deoxygenation of water below oil films.

SHEET 4 OF 4 330-1 LAST REVISION DATE: 1st August 2003

PRODUCT NAME: Coolube 5.

13. DISPOSAL CONSIDERATIONS.

Where possible, arrange for product to be recycled. Dispose of via an authorised person/licensed waste disposal contractor in accordance with local regulations. Dispose of product and container carefully and responsibly. Do not dispose of near ponds, ditches, down drains or onto soil.

14. TRANSPORT INFORMATION.

Not classified as dangerous for transport.

15. REGULATORY INFORMATION.

Classification / Symbol: Harmful / Xn

Risk Phrases: R65 - Harmful: May cause lung damage if swallowed.

Safety Phrases: S23 - Do not breath gas/fumes/vapour/spray. S24 - Avoid contact with skin. S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

16. OTHER INFORMATION.

The information relates only to the specific materials designated herewith and may not be valid for this material when used in conjunction with any other materials or in any other process.

7th April 1999.

Revised: 1st August 2003. Section 2.