



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

HEALTH & SAFETY DATA SHEET

Identification Of The Substance And Supplier

Product Name: **FINEDGE 75.**

Name Of Supplier: Oak Industrial Supplies
Hamilton Road
Sutton in Ashfield
Nottinghamshire
NG17 5LN

Business Tel No: 01623 442222
Emergency Tel No: 01484 713201

Composition/Information On Ingredients.

Distillates (Petroleum), Hydrotreated Light; Kerosine-Unspecified 8% - 100%

Hazards Identification.

Most important Hazards: Liquid and vapour can be irritating to eyes and skin

Specific Hazards: May cause lung damage if swallowed.

Benzene Content: Less than 0.1%

First Aid Measures.

Eyes: Rinse immediately with plenty of water, also under eyelids, for at least 15 minutes. If eye irritation persists, consult a specialist.

Skin: Wash off immediately with soap and plenty of water. If skin irritation persists, obtain medical advice.

Inhalation: No hazards to be especially mentioned.

Ingestion: Do not induce vomiting without medical advice

General Advice: Do not induce vomiting. Remove to fresh air. Obtain medical attention.

Fire Fighting Measures.

Flash Point (deg c): 75

Suitable: Alcohol resistant foam. Fog – in the absence of fog fine spray may be used.

Unsuitable media: Do not use water jet.

Specific hazards: Combustible material. May have irritant effect: on eyes, and on air passages

Equipment: Breathing apparatus plus protective gloves. Eye protection.

Additional Advice: Keep containers cool by spraying with water if exposed to fire. Extinguish with media appropriate to the cause of the fire.



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

Inhalation: Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting. May ultimately cause unconsciousness.

Ingestion: May cause irritation of the mouth, throat and digestive tract causing vomiting and abdominal pain. Significant absorption may cause sleepiness and pulmonary oedema.

Ecological Information.

Bioaccumulation: Likely to bio-accumulate, but with short retention of the order of a week or less.

Mobility: Water: Insoluble, the product spreads over the surface of the water and will slowly evaporate.

Soil: The product has only slight mobility in the soil and will partially evaporate.

Biodegradability: Readily biodegradeable.

Water Solubility: Not water-soluble.

Disposal Considerations.

Waste: Send to a registered waste disposal site using the service of a registered Waste Disposal Contractor. Ensure conformance with local and national regulations.

Packaging: Labels should not be removed from containers until they have been cleaned. Empty containers may hazardous residues. Ensure conformance with local and national regulations.

Transport Information.

NOT CLASSIFIED AS DANGEROUS IN THE MEANING OF ROAD AND RAILWAY TRANSPORT REGULATIONS.

Regularity Information.

Classification/Symbol: Xn – Harmful.

Risk Phrases: R65 – May cause lung damage if swallowed.
R66 Repeated exposure may cause skin dryness or cracking.

Safety Phrases: S2 KEEP OUT OF REACH OF CHILDREN.
S23 Do not breathe vapour.
S24 Avoid contact with skin.
S43 In case of fires, use sand, dry chemical or alcohol-resistant foam.
S62 If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

The information contained in this data sheet does not constitute an assessment of workplace risks.

Other Information.

The information relates only to the specific materials designated herewith and may not be valid for this material when used in conjunction with any other materials or in any other process.

19th May 1999

Revised 19th September 2001

Revised 12th May 2003. Section 2