



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

HEALTH & SAFETY DATA SHEET

Identification Of The Substance And Supplier

Product Name: **Millers H1 Food Grease 2260**

Name Of Supplier: Oak Industrial Supplies
Hamilton Road
Sutton in Ashfield
Nottinghamshire
NG17 5LN

Business Tel No: 01623 442222

Emergency Tel No: 01484 713201

Product Discription: A polymer enhanced complex high temperature food grease having USDA H1 Approval

Composition/Information On Ingredients.

White Mineral Oil
Aluminium Soap

Hazards Identification.

This material is not to be considered to be hazardous to health, but should be handled in accordance with good industrial hygiene and safety practices.

First Aid Measures.

Eyes: Wash eye thoroughly with copious quantities of water, ensuring eyelids are held open. Seek Medical attention if irritation persists.

Skin: Wash off with soap and plenty of water.

Inhalation: Move person to fresh air in case of accidental inhalation of vapours.

Ingestion: Prevent vomiting if possible. Consult a physician if necessary.

Fire Fighting Measures.

Extinguishing Media: Foam, dry powder, CO₂, Dry sand, water spray. Do not use a solid water stream as it may scatter and spread the fire.

Fire and Explosion Hazards: Burning produces irritant fumes.

Accidental Release Measures.

Should not be released into the environment. Do not allow material to contaminate ground water system. Scrape-up. Shovel into suitable container for disposal. Prevent product from entering drains.



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

Handling And Storage.

Handling: No special technical protective measures required

Storage: No special storage conditions required.

Exposure Controls/Personal Protection.

Eye Protection: Avoid contact with eyes.

Hand Protection: Latex gloves, rubber gloves.

Skin Protection: Remove and wash contaminated clothing before re-use.

Physical And Chemical Properties.

Appearance:

Paste

Colour:

Light Cream

Odour:

Mild Oily

Drop Point:

256 (deg C)

Base Oil Viscosity:

950 mm²/sec

Four Ball Weld Load:

455KG.

Melting Point/Range:

>150 (deg C)

Density:

0.9

Flash Point:

> 150 (deg C)

PLEASE NOTE THAT THESE PROPERTIES DO NOT CONSTITUTE A SPECIFICATION.

Stability And Reactivity.

Stability: Stable under normal conditions.

Hazardous Decomposition Products: Nitrogen oxides, Ammonia sulphur oxides.

Toxicological Information

Skin: Irritating to skin

Ingestion: Ingestion may cause nausea, vomiting, sore throat, stomach-ache.

Inhalation: Inhalation of high vapour concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting.

Ecological Information.

No Information available

Disposal Considerations.



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

Where possible, arrange for product to be recycled. Dispose of via an authorised person/licensed waste disposal contractor in accordance with local regulations. Dispose of product and container carefully and responsibly. Do not dispose of near ponds, ditches, down drains or onto soil

Transport Information.

NOT CLASSIFIED AS DANEROUS FOR TRANSPORT.

Regularity Information.

Not classified as hazardous for supply. No statutory lable required.

Other Information.

The information relates only to the specific materials designated herewith and may not be valid for this material when used in conjunction with any other materials or in any other process.