



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

HEALTH & SAFETY DATA SHEET

Identification Of The Substance And Supplier

Product Name: **Millicut 2310.**

Name Of Supplier: Oak Industrial Supplies
Hamilton Road
Sutton in Ashfield
Nottinghamshire
NG17 5LN

Business Tel No: 01623 442222
Emergency Tel No: 01484 713201

Composition/Information On Ingredients.

Severely Refined Mineral Oil	30% - 60%
White Mineral Oil	20% - 40%
Additive	< 5%
Chlorinated Paraffin	< 15%
Saponifiable Oil	< 1%
Adhesive Agent	< 1%

Hazards Identification.

This material is not to be considered to be especially hazardous to health, but should be handled in accordance with good industrial hygiene and safety practices.

First Aid Measures.

Eyes: Wash eyes thoroughly with copious quantities of water, ensuring eyelids are held open. Obtain medical advice if any pain or redness develops or persists.

Skin: Wash Skin thoroughly with soap and water as soon as reasonably practicable. Remove heavily contaminated clothing and wash underlying skin.

Ingestion: If contamination of the mouth occurs, wash out thoroughly with water. Except as deliberate act, the ingestion of large amounts of product is unlikely. If it should occur, do not induce vomiting; obtain medical advice.

Inhalation: If inhalation of mists, fumes or vapour causes irritation to the nose or throat, or coughing, remove to fresh air. If symptoms persist obtain medical advice.



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

Fire Fighting Measures:

Use foam, dry powder or water fog. DO NOT USE water jets. Avoid spraying directly into storage containers because of the danger of boil over. FIRES CONFINED SPACES SHOULD BE DEALT WITH BY TRAINED PERSONNEL WEARING APPROVED BREATHING APPARATUS. Water may be used to cool nearby heat exposed areas/objects/packages.

Hazardous Decomposition Products: Carbon monoxide.

Accidental Release Measures:

Contain and recover using absorbent granules or other suitable inert absorbent material such as sand. It is advised that stocks of suitable absorbent material should be held in quantities sufficient to deal with any spillage which may be reasonably anticipated. Spilled material may make surface slippery. Protect drains from potential spills to minimise contamination. Do not wash product into drainage system. In the case of large spills contact the appropriate authorities. In the case of spillage on water, prevent the spread of product environmentally sensitive areas and water supplies.

Handling And Storage.

Handling:

No special precautions are necessary beyond normal good hygiene practices.

Storage:

Do not store in open or unlabelled containers. Store away from strong oxidising agents or combustible material.

Exposure Controls/Personal Protection.

Exposure Limits: This product does not contain any components which have recognised exposure limits. However, a threshold limit value of 5 mg/m³ is suggested for oil mist.

Respiratory Protection: No special requirements under ordinary conditions of use and with adequate ventilation.

Eye Protection: Normal industrial eye protection practices should be employed.

Skin Protection: No special equipment required. However, good personal hygiene practices should always be followed.

Ventilation: No special requirements under ordinary conditions of use and with adequate ventilation.

Physical And Chemical Properties.

Physical State:

Liquid



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

Flash Point (PMC):	>188 (deg C)
Density @ 15 (deg C):	0.894
Viscosity @ 40 (deg C) cSt:	10.0

Stability And Reactivity.

Stability: Stable.

Conditions to Avoid: Extreme heat.

Materials to Avoid: Avoid contact with strong oxidising agents.

Hazardous Decomposition Products: Carbon monoxide.

Toxicological Information.

Oral LD50: > 5000 mg/kg (rat)

Eyes: Unlikely to cause more than transient stinging or redness if accidental eye contact occurs.

Skin: Unlikely to cause harm to the skin on brief or occasional contact but prolonged or repeated exposure may lead to dermatitis.

Ingestion: Unlikely to cause harm if accidentally swallowed in small doses, though larger quantities may cause nausea and diarrhoea.

Inhalation: At normal ambient temperatures this product will be unlikely to present an inhalation hazard because of its low volatility. May cause irritation to eyes, nose and throat due to exposure to vapour, mists or fumes.

Ecological Information.

Environmental Fate and Effects: Not established.

Disposal Considerations.

Where possible, arrange for product to be recycled. Dispose of via an authorised person/licensed waste disposal contractor in accordance with local regulations. Dispose of Product and container carefully and responsibly. Do not dispose of near ponds, ditches, down drains or onto soil.

Transport Information.

Not Classified as dangerous for transport.

Regulatory Information.

Not classified as hazardous for supply. No statutory label required.



OAK INDUSTRIAL SUPPLIES

"THE INDUSTRIAL SUPPLIES PEOPLE"

HAMILTON ROAD SUTTON IN ASHFIELD

NOTTINGHAMSHIRE NG17 5LN

TELEPHONE 01623 442222 FAX 01623 441234

Other Information.

The information relates only to the specific materials designated herewith and may not be valid for this material when used in conjunction with any other materials or in any other process.