



OAK INDUSTRIAL SUPPLIES
“THE INDUSTRIAL SUPPLIES PEOPLE”

HEALTH & SAFETY DATA SHEET

IDENTIFICATION OF SUBSTANCE OR PREPARATION

Name Of Product: TRIFLEET 15W/40 CE/SF

INFORMATION ON INGREDIENTS

Hazardous ingredients	EEC No.	Risk Phrases	Approx Concentration
Hydrocarbon Lubricating Oil	-	-	>80%

HAZARDS IDENTIFICATION

Inhalation : -
Skin : Prolonged contact may cause irritation.
Eyes : Contact will cause irritation.
Ingestion : Gastric discomfort.

FIRST AID MEASURES

Inhalation : Remove to fresh air to ventilate lungs.
Skin : Wash with soap and water.
Eyes : Flush with running water for 15 mins. If necessary seek medical advice.
Ingestion : Drink milk or water to dilute. Do not induce vomiting. Seek medical advice.

FIRE FIGHTING MEASURES

Extinguishing media Suitable: Carbon Dioxide, Foam, Dry Powder
Not Suitable: Water Jet
Other :

ACCIDENTAL RELEASE MEASURES

Contain spill with sand or earth. Absorb onto this, scoop up into suitable container. Clean area with Degreaser and water.

STORAGE AND HANDLING

Handling : Avoid prolonged contact with skin or contact with used oils. Wear goggles If splashing risk. Avoid exposure to oil mist. If necessary wear respiratory Protection. When using do not eat, drink or smoke. Wash hands after use. Remove soaked clothing immediately.

HAMILTON ROAD SUTTON IN ASHFIELD NOTTINGHAMSHIRE NG17 5LN UK
TELEPHONE: 044(0)1623 442222 FAX: 044(0)1623 441234
Web site: www.oakis.co.uk e-mail: sales@oakis.co.uk

Storage : Keep away from heat, sources of ignition.

Fire Protection : Fire fighters wear self contained breathing apparatus.

EXPOSURE CONTROLS AND PERSONAL PROTECTION

O.E.L 8hr T.W.A : Oil mist 5mg/m³

M.E.L :

Protection : Respiratory protection – Ventilated areas, hand protection, use barrier
Creams or gloves, wear goggles.

PHYSICAL AND CHEMICAL PROPERTIES

Solubility in water	: Insoluble	PH	: N/A
Appearance	: Amber coloured liquid	Viscosity c.@ 20oC	:
Solubility in organics	:	Vapour Pressure Kpa @ 20 oC	:
Odour	: None	Boiling Point Oc	: > 300
Evaporation Rate	:	Freezing Point Oc	:
Density Kg/L @ 20oC:	Approx 0.9	Flash Point Oc	: Approx240
Auto-Ignition Temp oC:		Explosion Limits	:

STABILITY AND REACTIVITY

Hazardous decomposition products – Carbon dioxide and monoxide, oxides of sulphur, phosphorous
And nitrogen and hydrogen chloride.

TOXICOLOGICAL INFORMATION

Low level oral toxicity : Oral LD50 > 10g/kg

ECOLOGICAL INFORMATION

Do not allow to enter sewers, water courses, soil, etc.

DISPOSAL CONSIDERATION

Controlled incineration as landfill at a local authority approved tip.

TRANSPORT INFORMATION

UN Number	:	I.M.D.G.	:
Packaging Group	:	Marine Pollutant	:
C.A.S Number	: NOT HAZARDOUS FOR TRANSPORT	E.E.C Number	:
ICAO/IATA	:	A.D.R.	:
Trem Card	:	Emergency Action Code	:

REGULATORY INFORMATION

Danger Symbols :

Risk phrases :

Safety Phrases : Keep Out Of Reach Of Children

NOT CLASSIFIED UNDER CHIP REGULATIONS 1993

HAMILTON ROAD SUTTON IN ASHFIELD NOTTINGHAMSHIRE NG17 5LN UK

TELEPHONE: 044(0)1623 442222 FAX: 044(0)1623 441234

Web site: www.oakis.co.uk e-mail: sales@oakis.co.uk

Contains :
Others :

OTHER INFORMATION

The information given in the document has been compiled on the basis of our current knowledge in accordance with the requirements of the Chemical Hazards Information and Packaging Regulations 1993. It does not imply that the information is complete or accurate in all cases. It is the users responsibility to satisfy themselves as to the application of the information and/or the recommendations given for their own use. Specific uses should be referred to us for specific advice or comment as appropriate.